



全亨科技 -- 专业的条码设备供应商和系统集成商

全国统一服务热线: 400-1199-021

- 首页
- 关于公司
- 条码产品
- 自主开发
- 应用方案
- 下载中心
- 条码知识
- 联系我们
- 条码新闻
- 人才招聘



条码产品

意大利Datalogic条码扫描器

条码打印机

- 美国Intermec
- 美国斑马Zebra
- 美国Datamax
- 美国科立得Cognitive
- 美国Printronix
- 日本佐藤Sato
- 日本Ring
- 日本Toshiba-Tec
- 日本新盛shinsei
- 日本西铁城citizen
- 台湾Godex
- 台湾TSC
- 韩国Woosim
- 德国CAB

条码扫描器

- 美国intermec
- 美国Symbol
- 美国HHP(honeywell)
- 美国Metrologic
- 美国Microscan
- 美国PSC
- 意大利Datalogic

福建新大陆

- 台湾IMC
- 台湾Gyoung
- 台湾CipherLAB
- 日本DENSO
- 日本Opticon

日本东研tohken

数据采集终端

- 美国intermec
- 美国Symbol
- 美国Metrologic
- 美国HHP(honeywell)
- 美国双成
- 日本DENSO
- 日本Casio
- 日本keyence
- 韩国蓝鸟bluebird
- 韩国M3
- 福建新大陆
- 台湾CipherLAB
- 台湾Gyoung

无线局域网

不干胶标签

条码碳带

- IMC系列碳带
- 标准腊基碳带
- 混合基碳带
- 树脂基碳带
- 水洗布专用树脂碳带

条码打印软件

条码检测仪

条码打印机配件



Datalogic Heron G CCD条码扫描器

The Datalogic Heron G CCD bar code scanner was developed to provide high performance with an appealing design. The result is a gun shaped handheld CCD bar code scanner that is compact, robust, easy to handle and lightweight. Its simplicity of use and ergonomics make it suitable for light retail, commercial and office applications.

The Datalogic Heron G CCD bar code scanner is based on Datalogic's core technology, CCD, which is unsurpassed for close range bar code scanning in light retail applications. The Datalogic Heron G CCD bar code scanner also utilizes the Datalogic patented "green spot" providing good reading feedback directly on the code, which is especially useful in noisy environments.

The Datalogic Heron G CCD bar code scanner is available in a single multi-interface model (USB, RS232 and Keyboard Wedge), and provides flexibility and full compatibility with the different systems by simply replacing the plug-in cables.

The Datalogic Heron G CCD bar code scanner as well as all Datalogic bar code readers has undergone a variety of tests to assure that it can withstand daily use in standard operating environments. The tests done in Datalogic's research departments and quality assurance laboratories result in a CCD bar code scanner that is long lasting and meets all the requested quality standards in the market.

In addition, Datalogic Heron G CCD bar code scanner reads Reduced Space Symbology (RSS), an emerging symbology that can be printed on smaller labels, meeting emerging market needs for a larger amount of data on a single code.

Features

- Datalogic "Green Spot"
- Single multi-interface model: USB, RS232, Wedge
- Rugged and reliable
- RSS-14 decoding capability
- Sunrise 2005 Compliant
- 5 Year Manufacturers Warranty

技术参数

Electrical Characteristics	
Humidity:	0 to 90% non condensing
Drop Resistance:	Resists repeated drops from 1.8 m onto a concrete surface
Storage Temp.:	-20 °C to 70 °C
Ambient Light Conditions:	Up to 100,000 lux
Operating Temp.:	0 °C to 55 °C
Protection Class:	IP30
Consumption:	Max. 180 mA / Operating 155 mA / Sleep mode 120 uA / USB suspend mode 350 uA
Power Supply:	5VDC ±5%, directly from the PC
Mechanical Characteristics	
Cable Length:	6 feet
Case Material:	ABS and Polycarbonate, co-molded rubber
Weight:	195 g, without cable
Dimensions:	173 x 92 x 71 mm
Performance	
Reading Indicators:	LED, Good read spot, Beeper
Programming Method:	Manual Reading special bar codes, Automatic S/W commands through the serial port (with RS232), DLSm@rtSet? Windows configuration program
Interfaces:	USB, Keyboard Wedge, RS-232
Sensor:	CCD solid state (2048 pixels)
Scanning Speed:	256 scans/sec
Warranty Period:	5 years
Light Source:	640 nm visible red LED
Reading Angle:	Pitch ± 75°; Skew ± 70°; Rotation 30°
Bar Codes Read:	RSS, 2/5 family, Code 39 (più Code 32, Cip 39), EAN/UPC, ISBN/ISSN, EAN 128, Code 128, ISBT 128, Code 93, Code 11, CODABAR, IATA, TELEPEN, PLESSEY, Code MSI, Code Delta IBM, Code 16K, Code 49
Reading Field:	0-23 cm (approx. 9 inches)
Max. Resolution:	0.1 mm

版权所有(C) 2006—2011 上海全亨科技  
地址：上海市浦东大道1097号15号楼4E室 邮编：200135 邮箱：mail#jahone.cn  
电话：021-51088451 51088452 传真：021-50935062

